


Threading tools for materials that are difficult to machine





Hard materials need a strong tool

The requirements for components that are used in various industries have increased over the past few years: their design is getting more compact and the component is getting lighter. The materials that are used need to have a high strength, corrosion resistance and wear resistance.

The guiding principle behind this development originates from society and politics and is equally valid for the industry: protecting the environment and thus reducing the energy consumption.

The consequences can be seen in every aspect of our everyday production: Not only the production process, but also the machining of the materials often presents a challenge.

Threading therefore needs to deal with:

- high cutting forces,
- extremely high heat generation on the tool's cutting edge,
- difficult chip formation and removal
- and, as a result, with:
- low cutting parameters and,longer machining time.

Through using special geometries, we are able to counteract high cutting forces and adhesive wear. In the production of our tools we use base substrates which distinguish themselves by a high resistance to wear and torsion. Thanks to the optimized tool surface combined with the specifically adapted coating we are able to reduce the friction and therefore the heat generation on the tool's cutting edge.

Threading is usually the last step in the production process and the components that need to be machined are therefore valuable. Our products are known for a high reproducibility and a constantly high tool life: BASS brings together quality and efficiency – for your success.

VARIO SH TICN SR

VARIANT TIH TICN

VARIANT NI TICN

AVANT TIH13 TICN










APPLICATION EXAMPLE: PUMP INDUSTRY



operating conditions				
material designation:	GX5CrNiMo13-11-2			
material number:	1.4408			
hole type:	blind hole			
thread depth:	30 mm			
dimension:	M16 ISO2/6H			
machine:	machining center			
cooling lubricant:	emulsion 5%			
cutting speed v _c :	10 m/min			

300% increase in tool life with the catalog tool DOMINANT MHST45 HL. The HL-coating ensures a good chip removal so that no chips adhere to the tool. This is why the machine can be operated without any troubles and the machine does not need to be stopped to remove the chips.



Tough performers

Materials that are difficult to machine comprise a wide spectrum: ranging from nickel alloys and titanium alloys to acid and corrosion resistant or high-strength steels. Special alloys are additionally part of this spectrum.

The properties that the produced components are supposed to have, for example a high strength, make the machining more difficult. Nickel alloys like Hastelloy®, Inconel®, Monel® or Nimonic® are not only temperature resistant and strong but also tough in challenging environments. One disadvantage, however, can be seen in the machining process: nickel alloys are also known for their strong thermal and mechanical stress on tools.

The lighter weight titanium alloys have similar properties. The TiAl6V4 is a prominent example. The low heat conductivity which makes the machining difficult is typical for this group of materials.

The designation corrosion and acid resistant steels speaks for its properties. On the other hand, however, materials like Duplex, Super Duplex or 1.4848 also tend to have a worse machinability due to their hardness and the preceding heat treatment.

Whenever there is talk about highstrength steels, the designation Hardox® is mentioned. With its high degree of wear resistance, an extreme toughness and high hardness it represents this group of materials. It is obvious that these properties adversely affect the machining. Long chips make the machining of threads even more difficult.

Special alloys such as Ampco® are always optimized for a special application whereas the machining is dependent on the respectively used alloy component.

AVANT NI13 TICN

DOMINANT MHST45 HK HL

DOMINANT MHST45 KA HK HL

GFS N / GFS TIH







APPLICATION EXAMPLE: AEROSPACE INDUSTRY



operating conditions			
material designation:	Inconel® 718		
material number:	2.4668		
hardness:	38–45 HRC		
hole type:	through hole		
dimension:	UNJC3/8"-16 3BX		
machine:	machining center		
cooling lubricant:	emulsion 6 %		
cutting speed v _c :	21 m/min		

The use of a BASS milling cutter reduced the processing time per thread by 30%. In addition, the process reliability was improved. The tool has a lower wear and causes less vibrations compared to the previously used competitor's tool.



Threads are everywhere

In the aerospace industry threads do not only connect components, but virtually entire continents and people worldwide. They perform reliably, especially in engine and chassis components.

But also many miles below the sea level, in the offshore industry, threads are required to withstand a lot. Being part of the drilling head, they carve their way deep into the seabed and withstand wind and weather far out at sea.

Whereas threads are challenged from outside in the offshore industry, it is the inside robustness of the threads that is put to the test in the far-reaching fluid technology.

Fluids like acids permanently pose a challenge to pumps, pipelines, valves and fittings. In order to be able to stand up to this challenge, the used materials are strong and demand the same in return from the threading tool.

In heat exchangers in the oil and gas industry, threads get in touch with both hot and cold fluids. Also gas turbines and pressure vessels as parts of power stations require a special material that can deal with pressure and heat.

Both forms of stress can also be found in the automotive industry in turbo chargers and exhaust elbows. This is why these are the properties that substantially influence the machining of threads.


In the pharmaceutical and chemical industry, it is the absolute resistance of the materials that makes the production of threads more difficult. However, the merging of the materials is required to make high quality centrifuges or powerful milling plants out of the individual components.

Meanwhile, thanks to modern medical technology, threads have found their way into the human body. They can be found in implants, bone splints and prostheses.

In the special machine manufacturing, the processing is as individual as the components. From complex agitators to recycling plants, threads establish the shortest detachable connection between the customer's request and your high-performance product.



APPLICATION EXAMPLE: SPECIAL MACHINE MANUFACTURING



operating conditions			
material designation:	56NiCrMoV7		
material number:	1.2714 tempered (R _m : 1,350 N/mm ²		
hole type:	blind hole		
thread depth:	30 mm		
dimension:	M16 6HX		
machine:	machining center		
cooling lubricant:	emulsion 8 %		
cutting speed v.:	5 m/min		

Through its stable geometry, the AVANT TIH13 is very wear-resistant and the ideal choice for tempered steels. In comparison to the competitor's tool BASS was able to increase the tool life by 500%.

Our catalog tools for materials that are difficult to machine

Through hole	•						
VARIANT TIH T	ICN			VARIANT NI T	ICN		
thread type	nominal Ø tolerance		thread type	nominal Ø		tolerance	
tilleau type	from	to	loierance	tilleau type	from	to	loierarice
М	2 mm	16 mm	6HX				
MF	10 mm	20 mm	6HX				
MJ	3 mm	12 mm	4HX	MJ	3 mm	12 mm	4HX
UNJC	No4	1/2"	3BX	UNJC	No4	1/2"	3BX
UNJF	No4	1/2"	3BX	UNJF	No4	1/2"	3BX

Blind hole							
AVANT TIH13 TICN			AVANT NI13 TICN				
thread type	nomi from	nal Ø to	tolerance	thread type	nomi from	nal Ø to	tolerance
M MF	3 mm 10 mm	16 mm 20 mm	6HX 6HX				
MJ	3 mm	12 mm	4HX	MJ	3 mm	12 mm	4HX
UNJC	No4	1/2"	3BX	UNJC	No4	1/2"	3BX
UNJF	No4	1/2"	3BX	UNJF	No4	1/2"	3BX
DOMINANT MHST45 HK HL			DOMINANT MHST45 KA HK HL				
thread type	nomi from	nal Ø to	tolerance	thread type	nomi from	nal Ø to	tolerance
М	3 mm	16 mm	6HX	М	5 mm	10 mm	6HX
Our DOMINANT is also available in chamfer forms C / 2-3 and E / 1.5-2.							

Through and blind hole					
VARIO SH TICN SR					
thread type	nomi from	tolerance			
М	4	16	6HX		

For further information - also with regard to thread milling and clamping technology - please see our latest catalog under www. bass-tools.com/en/service/downloads









www.bass-tools.com

BASS GmbH & Co. KG Technik für Gewinde Bass-Strasse 1 97996 Niederstetten Deutschland · Germany

 Tel.:
 +49 7932 892-0

 Fax:
 +49 7932 892-87

 E-Mail:
 info@bass-tools.com