


2019/20 NEWS



EMO

Hannover








E..K




CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)				STOCK	PRICELIST €
		d	l ₁	M			
	E08K M4 R	8	104	M4			0,070 ● 180,-
	E10K M5 R	10	103	M5			0,110 ● 199,-
	E12M M6 R	12	127	M6			0,180 ● 225,-
	E16R M8 R	16	174	M8			0,500 ● 420,-

Testina filettata | Köpfe mit Gewinde | Heads with thread connection






A-SCLCR

STEEL	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	l ₁	f	W	D _{min}							
	A 08 SCLCR 06	8	21	5	3,5	10	CCMT CCGT 0602 ...	VT25B	BT08	CBH 0816	0,008	●	99,-
	A 10 SCLCR 06	10	22	6	3,5	12					0,010	●	99,-
	A 12 SCLCR 06	12	23	7	3,5	16					0,014	●	99,-
	A 16 SCLCR 09	16	26	9	3,5	20	CCMT CCGT 09T3....	VT40B	BT15		0,030	●	109,-




A-SDUCR

CODICE ORDINE Bestell-Nr. Order No.		DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
d	l ₁	f	W	D _{min}									
A 08 SDUCR 07	8	21	9	3,5	13	DCMT DCGT 0702 ...	VT25B	BT08	CBH 0816	0,008	●	99,-	
A 10 SDUCR 07	10	22	9	3,5	14					0,010	●	99,-	
A 12 SDUCR 07	12	23	10	3,5	16					0,014	●	99,-	
A 16 SDUCR 07	16	26	11,3	3,5	20					0,030	●	109,-	




A-STFCR

STEEL	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
	d	l ₁	f	W	D _{min}	TCMT 0802 ...	VT20	BT06					
	A 08 STFCR 08	8	21	5	3,5	10					0,008	●	99,-
	A 10 STFCR 11	10	22	6	3,5	12					0,010	●	99,-
	A 12 STFCR 11	12	23	7	3,5	14	TCMT TCGT 1102...	VT25B	BT08	CBH 0816	0,014	●	99,-
A 16 STFCR 11	16	26	9	3,5	18					0,030	●	109,-	



HAMS



CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										kg	STOCK	PRICELIST €
D	D2	d	l	l1	l2	Ex	AS 0043	KVR 16	KP3111				
HAMS 1604R/L	4	12	16	120	95	25	2,35	AS 0043	KVR 16	KP3111	0,150	●	280,-



HAMS



CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)								kg	STOCK	PRICELIST €
D	d	l	Ex			AS 0044	KVR 16	KP1111			
HAMS 1606R/L	6	16	120	2,8		AS 0044	KVR 16	KP1111	0,160	●	280,-
HAMS 1608R/L	8	16	120	2,8					0,160	●	280,-

Bareni per tornitura interna | Bohrstangen für die Innenbearbeitung | Internal boring bars



E-SCLDR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)									STOCK	PRICELIST €
		d	l ₁	l ₂	f	D _{min}						
	E04 SCLDR/L 04 AMS	4	46	24	2,4	4,8	CDGT 0401...	VT18B	BT06	0,015	●	199,-
	E06 SCLDR/L 04 AMS	6	65	37	3,4	6,8				0,030	●	199,-





E-SWUCR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)									STOCK	PRICELIST €
		d	l ₁	l ₂	f	D _{min}						
	E 06 SWUCR/L 02 AMS	6	65	37	3,9	7,8	WCMT WCGT 0201	VT20B	BT06	0,030	●	199,-


● Disponibile - Lieferbar - On stock

○ A richiesta - Auf Anfrage - On request




E-SDUCR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	l ₁	l ₂	f	f ₁	D _{min}						
	E0406 SDUCR/L 04 AMS	6	56	26	3	1,5	5,6	DCGT 04T0...	VT1604	BT05	0,022	●	199,-
	E0408 SDUCR/L 04 AMS	8	57	26	3	1,5	5,6				0,022	●	199,-




E-SDQCR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	l ₁	l ₂	f	f ₁	D _{min}						
	E0406 SDQCR/L 04 AMS	6	56	26	2,6	1,1	5,2	DCGT 04T0...	VT1604	BT05	0,022	●	199,-
	E0408 SDQCR/L 04 AMS	8	57	26	2,6	1,1	5,2				0,022	●	199,-




E-SVLCR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	l ₁	l ₂	f	f ₁	D _{min}						
	E0406 SVLCR/L 05 AMS	6	56	26	6	3	9,2	VCGT 0501...	VT1604	BT05	0,022	●	199,-
	E0408 SVLCR/L 05 AMS	8	57	26	5	3	9,2				0,031	●	199,-



E-SVXCR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	l ₁	l ₂	f	f ₁	D _{min}						
	E0406 SVXCR/L 05 AMS	6	56	26	5	3	8,2	VCGT 0501...	VT1604	BT05	0,022	●	199,-
	E0408 SVXCR/L 05 AMS	8	57	26	5	3	9,2				0,031	●	199,-



A-SCLDR/L

STEEL	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)					CDGT 0401 ...	VT18B	BT06	kg	STOCK	PRICELIST €
	d	l ₁	l ₂	f	D _{min}							
	A 04E SCLDR/L 04	4	70	-	2,4	4,8						
	A 05E SCLDR/L 04	5	70	-	2,9	5,8						
	A 06F SCLDR/L 04	6	80	-	3,4	6,8				0,050	●	72,50

E-SCLDR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)					CDGT 0401 ...	VT18B	BT06	kg	STOCK	PRICELIST €
	d	l ₁	l ₂	f	D _{min}							
	E 04F SCLDR/L 04	4	80	-	2,4	4,8						
	E 05F SCLDR/L 04	5	80	-	2,9	5,8						
	E 06G SCLDR/L 04	6	95	-	3,4	6,8				0,050	●	141,50


E-SCLCR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)					CCGT 0301 ...	VT16	BFTX 1604N	BT06	kg	STOCK	PRICELIST €
	d	l ₁	l ₂	f	D _{min}								
	C 04G SCLCR/L 03	4	90	10	2,5	5							
	C 05H SCLCR/L 03	5	100	10	3	6							
	E 06J SCLCR/L 03	6	110	10	3,5	7					0,050	●	219,50




E-SWUCR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)					WCMT WCGT 0201...	VT20B	BT06	kg	STOCK	PRICELIST €
	d	l ₁	l ₂	f	D _{min}							
	E 05F SWUCR/L 02	5	85	-	2,9	5,8						
	E 06G SWUCR/L 02	6	95	-	3,9	7,8						



MINI COLLET

CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)					kg	STOCK	PRICELIST €
	Ød	ØD	L	L ₁	H			
	SC 04-16	4				0,010	●	110,50
	SC 05-16	5	16	80	6	0,010	●	110,50
	SC 06-16	6				0,010	●	110,50

**A-SCLDR/L**

STEEL	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	d ₁	l ₁	l ₂	f	D _{min}						
	A 0408H SCLDR/L 04	8	4	100	16	2,4	4,8	CDGT 0401...	VT18B	BT06		0,030 ●	66,-
	A 0508H SCLDR/L 04	8	5	100	20	2,9	5,8					0,040 ●	68,-
	A 0608H SCLDR/L 04	8	6	100	24	3,4	6,8					0,050 ●	69,-

E-SCLDR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	d ₁	l ₁	l ₂	f	D _{min}						
	E 0408H SCLDR/L 04	8	4	100	24	2,4	4,8	CDGT 0401...	VT18B	BT06		0,040 ●	183,-
	E 0508H SCLDR/L 04	8	5	100	30	2,9	5,8					0,040 ●	183,-
	E 0608H SCLDR/L 04	8	6	100	36	3,4	6,8					0,050 ●	183,-

A-SCUPR/L

STEEL	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	d ₁	l ₁	l ₂	f	D _{min}						
	A 0608H SCUPR/L 05	8	6	100	20	4,5	8	CPMT CPGT 05T1...	VT22B	BT06		0,050 ●	66,-
	A 0810J SCUPR/L 05	10	8	110	26	6	11					0,070 ●	68,-
	A 1012K SCUPR/L 05	12	10	125	32	7	13					0,100 ●	70,-
	A 1216M SCUPR/L 05	16	12	150	40	9	16					0,200 ●	82,-

E-SCUPR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	d ₁	l ₁	l ₂	f	D _{min}						
	E 0608H SCUPR/L 05	8	6	100	28	4,5	8	CPMT CPGT 05T1...	VT22B	BT06		0,050 ●	183,-
	E 0810J SCUPR/L 05	10	8	110	36	6	11					0,090 ●	199,50
	E 1012K SCUPR/L 05	12	10	125	44	7	13					0,170 ●	257,50
	E 1216M SCUPR/L 05	16	12	150	55	9	16					0,300 ●	414,-

**A-SWUCR/L**



STEEL	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	d ₁	l ₁	l ₂	f	D _{min}						
	A 0508H SWUCR/L 02	8	5	100	18	2,9	5,8	WCMT WCGT 0201...	VT20B	BT06		0,040 ●	76,-
	A 0608H SWUCR/L 02	8	6	100	24	3,9	7,8					0,050 ●	76,-

E-SWUCR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	d ₁	l ₁	l ₂	f	D _{min}						
	E 0508H SWUCR/L 02	8	5	100	24	2,9	5,8	WCMT WCGT 0201...	VT20B	BT06		0,040 ●	219,50
	E 0608H SWUCR/L 02	8	6	100	32	3,9	7,8					0,050 ●	219,50

● Disponibile - Lieferbar - On stock



○ A richiesta - Auf Anfrage - On request

**A-SVLCR/L**

	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)											STOCK	PRICELIST €
		d	l ₁	l ₂	f	f ₁	D _{min}							
STEEL	A 08F SVLCR/L 05	8	80	15	5	3	9,2	VCMT VCGT 0702...					●	66,-
	A 10H SVLCR/L 07	10	100	22	7	5	12,5							68,-
	A 12K SVLCR/L 07	12	125	28	9	6	15,5							70,-
	A 16M SVLCR/L 07	16	150	36	11	5	19,5							82,-

E-SVLCR/L



	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)											STOCK	PRICELIST €
		d	l ₁	l ₂	f	f ₁	D _{min}							
CARBIDE	E 08F SVLCR/L 05	8	80	26	5	3	9,2	VCMT VCGT 0702...					●	190,-
	E 10H SVLCR/L 07	10	100	32	7	5	12,5							193,50
	E 12K SVLCR/L 07	12	125	40	9	6	15,5							257,50
	E 16M SVLCR/L 07	16	150	55	11	5	19,5							428,-

**A-SVXCR/L**

	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)											STOCK	PRICELIST €
		d	l ₁	l ₂	f	f ₁	D _{min}							
STEEL	A 08F SVXCR/L 05	8	80	15	5	3	9,2	VCMT VCGT 0702...					●	66,-
	A 10H SVXCR/L 07	10	100	22	7	3	12,5							68,-
	A 12K SVXCR/L 07	12	125	28	9	3	15,5							70,-
	A 16M SVXCR/L 07	16	150	36	11	3	19,5							82,-

E-SVXCR/L

	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)											STOCK	PRICELIST €
		d	l ₁	l ₂	f	f ₁	D _{min}							
CARBIDE	E 08F SVXCR/L 05	8	80	26	5	3	9,2	VCMT VCGT 0702...					●	190,-
	E 10H SVXCR/L 07	10	100	32	7	3	12,5							193,50
	E 12K SVXCR/L 07	12	125	40	9	3	15,5							257,50
	E 16M SVXCR/L 07	16	150	55	11	3	19,5							428,-





A-SVJCR/L

STEEL	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)									STOCK	PRICELIST €
		d	l ₁	l ₂	f	D _{min}						
	A08F SVJCR/L05	8	80	15	3	8	VCGT 0501...	VT1604	BT05	0,040	●	114,-
	A10K SVJCR/L07	10	125	18	1,5	13	VCMT VCGT 0702...	VT20	BT06	0,080	●	114,-
	A12L SVJCR/L07	12	140	18	2	13				0,120	●	114,-

E-SVJCR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)									STOCK	PRICELIST €
		d	l ₁	l ₂	f	D _{min}				kg		
	E08F SVJCR/L05	8	80	26	3	8	VCGT 0501...	VT1604	BT05	0,090	●	198,-
	E10K SVJCR/L07	10	125	18	1,5	13	VCMT VCGT 0702...	VT20	BT06	0,170	●	203,-
	E12M SVJCR/L07	12	150	18	2	13				0.300	●	260,-





A-SVVCRL/L

STEEL	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)											STOCK	PRICELIST €
		d	l ₁	l ₂	f	f ₁	D _{min}							
	A 08F SVVCRL/L 05	8	80	15	5,5	3,5	9,7	VCGT 0501...		VT1604	BT05	0,040	●	66,-
	A 10H SVVCRL/L 07	10	100	22	8	6	13,5	VCMT VCGT 0702...				0,080	●	68,-
	A 12K SVVCRL/L 07	12	125	28	9	6	15,5			VT20	BT06	0,120	●	70,-
	A 16M SVVCRL/L 07	16	150	36	11	6	19,5					0,250	●	82,-

E-SVVCRL/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)											STOCK	PRICELIST €
		d	l ₁	l ₂	f	f ₁	D _{min}							
	E 08F SVVCRL/L 05	8	80	26	5,5	3,5	9,7	VCGT 0501...		VT1604	BT05	0,070	●	190,-
	E 10H SVVCRL/L 07	10	100	32	8	6	13,5	VCMT VCGT 0702...				0,170	●	193,50
	E 12K SVVCRL/L 07	12	125	40	9	6	15,5			VT20	BT06	0,300	●	257,50
	E 16M SVVCRL/L 07	16	150	55	11	6	19,5					0,500	●	428,-



A-SV95CR/L



STEEL	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)											STOCK	PRICELIST €
		d	l ₁	l ₂	f	f ₁	D _{min}							
	A 08F SV95CR/L 05	8	80	15	5	3	9,2	VCGT0501		VT1604	BT05	0,040	●	114,-
	A 10H SV95CR/L 07	10	100	22	7	5	12,5	VCMT VCGT 0702...				0,080	●	114,-
	A 12K SV95CR/L 07	12	125	28	9	6	15,5			VT20	BT06	0,120	●	114,-
	A 16M SV95CR/L 07	16	150	36	11	5	19,5					0,250	●	115,-

E-SV95CR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)											STOCK	PRICELIST €
		d	l ₁	l ₂	f	f ₁	D _{min}							
	E 08F SV95CR/L 05	8	80	26	5	3	9,2	VCGT0501		VT1604	BT05	0,070	●	198,-
	E 10H SV95CR/L 07	10	100	32	7	5	12,5	VCMT VCGT 0702...				0,170	●	203,-
	E 12K SV95CR/L 07	12	125	40	9	6	15,5			VT20	BT06	0,300	●	260,-
	E 16M SV95CR/L 07	16	150	55	11	8	19,5					0,500	●	486,50

● Disponibile - Lieferbar - On stock

○ A richiesta - Auf Anfrage - On request




A-SDUCR/L

STEEL	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	l1	l2	f	f1	D _{min}						
	A 0408F SDUCR/L 04	8	80	15	3	1,5	5,6	DCGT 04T0...	VT1604	BT05	0,030	●	89,-
	A 0810H SDUCR/L 07	10	100	22,5	6,5	4,4	12,5	DCMT			0,070	●	79,-
	A 1012K SDUCR/L 07	12	125	27,5	9	5,9	15,5	DCGT	VT25B	BT08	0,100	●	85,-
	A 1216M SDUCR/L 07	16	150	40,5	11	4,9	18	0702...			0,200	●	89,50

E-SDUCR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	l1	l2	f	f1	D _{min}						
	E 0408F SDUCR/L 04	8	80	26	3	1,5	5,6	DCGT 04T0...	VT1604	BT05	0,042	●	199,-





A-SDQCR/L

STEEL	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	l1	l2	f	f1	D _{min}						
	A 0408F SDQCR/L 04	8	80	15	2,6	1,1	5,2	DCGT 04T0...	VT1604	BT05	0,030	●	89,-
	A 0810H SDQCR/L 07	10	100	22,4	6,4	3	12,5	DCMT			0,070	●	79,-
	A 1012K SDQCR/L 07	12	125	27,5	9	4	15,5	DCGT	VT25B	BT08	0,100	●	85,-
	A 1216M SDQCR/L 07	16	150	39,5	11	5	19,5	0702...			0,200	●	89,50

E-SDQCR/L

CARBIDE	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
		d	l1	l2	f	f1	D _{min}						
	E 0408F SDQCR/L 04	8	80	26	2,6	1,1	5,2	DCGT 04T0...	VT1604	BT05	0,042	●	199,-





A-SDXCR/L

STEEL	CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)											STOCK	PRICELIST €
		d	l1	l2	f	f1	D _{min}							
	A 08F SDXCR/L 04	8	80	15	5	3	9,20	DCGT		VT1604	BT05	0,040	●	115,-
	A 10H SDXCR/L 04	10	100	22	7	5	12,50	04T0...				0,060	●	115,-
	A 12L SDXCR/L 07	12	140	25	9	4,3	17	DCMT		VT25B	BT08	0,120	●	115,-
	A 16Q SDXCR/L 07	16	180	33	11	4,3	21	DCGT				0,300	●	115,-
								0702...						

● Disponibile - Lieferbar - On stock


○ A richiesta - Auf Anfrage - On request



SVGCR/L

Stelo in acciaio | Stahlschaft | Steelshank



CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)																	
	h ₁	h ₂	b	l ₁	l ₂	f												
SVGCR/L 0808 K07	8	8	8	125	15	8,5	VCMT VCGT 0702...											
SVGCR/L 1010 M07	10	10	10	150	15	10,5												
SVGCR/L 1212 M07	12	12	12	150	18	12,5												



SVLCR/L

Stelo in acciaio | Stahlschaft | Steelshank



CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)																	
	h ₁	h ₂	b	l ₁	l ₂	f												
SVLCR/L 0808 D07	8	8	8	60	15	10	VCMT VCGT 0702...											
SVLCR/L 1010 E07	10	10	10	70	15	12												
SVLCR/L 1212 F07	12	12	12	80	18	16												



SVXCR/L

Stelo in acciaio | Stahlschaft | Steelshank

CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)																	
	h ₁	h ₂	b	l ₁	l ₂	f												
SVXCR/L 0808 D07	8	8	8	60	15	10	VCMT VCGT 0702...											
SVXCR/L 1010 E07	10	10	10	70	15	12												
SVXCR/L 1212 F07	12	12	12	80	18	16												




SVVCN

Stelo in acciaio | Stahlschaft | Steelshank

CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)																	
	h ₁	h ₂	b	l ₁	l ₂	f												
SVVCN 0808 K07	8	8	8	125	15	4	VCMT VCGT 0702...											
SVVCN 1010 M07	10	10	10	150	15	5												
SVVCN 1212 M07	12	12	12	150	18	6												

● Disponibile - Lieferbar - On stock


○ A richiesta - Auf Anfrage - On request



SCACR/L

Stelo in acciaio | Stahlschaft | Steelshank


CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
	h ₁	h ₂	b	l ₁	f							
SCACR/L 0808 X06-A	8	8	8	115	8,0	CCMT CCGT 0602..					0,060	● 79,-
SCACR/L 1010 X06-A	10	10	10	115	10,0				SS1751	BT08	0,100	● 80,-
SCACR/L 1212 X06-A	12	12	12	130	12,0						0,150	● 82,-
SCACR/L 1212 X09-A	12	12	12	130	12,0	CCMT CCGT 09T3..					0,150	● 82,-
SCACR/L 1616 X09-A	16	16	16	130	16,0				VT40B	BT15	0,260	● 85,-



SDACR/L

Stelo in acciaio | Stahlschaft | Steelshank

CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
	h ₁	h ₂	b	l ₁	f							
SDACR/L 0808 X07-A	8	8	8	115	8,0	DCMT DCGT 0702..					0,060	● 79,-
SDACR/L 1010 X07-A	10	10	10	115	10,0				SS1751	BT08	0,090	● 80,-
SDACR/L 1212 X07-A	12	12	12	130	12,0						0,150	● 82,-
SDACR/L 1616 X07-A	16	16	16	130	16,0	DCMT DCGT 11T3..					0,250	● 85,-
SDACR/L 1212 X11-A	12	12	12	130	12,0						0,150	● 82,-
SDACR/L 1616 X11-A	16	16	16	130	16,0				VT40B	BT15	0,250	● 85,-





SDNCN

Stelo in acciaio | Stahlschaft | Steelshank

CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
	h ₁	h ₂	b	l ₁	f							
SDNCN 1010 X07-A	10	10	10	115	5,0	DCMT DCGT 0702..			SS1751	BT08	0,090	● 80,-
SDNCN 1212 X11-A	12	12	12	130	6,0						0,150	● 82,-
SDNCN 1616 X11-A	16	16	16	130	8,0	DCMT DCGT 11T3..			VT40B	BT15	0,250	● 85,-

● Disponibile - Lieferbar - On stock



○ A richiesta - Auf Anfrage - On request



SVACR/L

Stelo in acciaio | Stahlschaft | Steelshank



CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
	h ₁	h ₂	b	l ₁	f						kg	
SVACR/L 0808 X11-A	8	8	8	115	8,0	VCMT VCGT 1103..		SS1751	BT08		0,060	● 79,-
SVACR/L 1010 X11-A	10	10	10	115	10,0						0,090	● 80,-
SVACR/L 1212 X11-A	12	12	12	130	12,0						0,150	● 82,-
SVACR/L 1616 X11-A	16	16	16	130	16,0						0,250	● 85,-
SVACR/L 1212 X16-A	12	12	12	130	12,0	VCMT VCGT 1604..		VT40B	BT15		0,140	● 82,-
SVACR/L 1616 X16-A	16	16	16	130	16,0						0,240	● 85,-



SVJCR/L

Stelo in acciaio | Stahlschaft | Steelshank

CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
	h ₁	h ₂	b	l ₁	f						kg	
SVJCR/L 0808 X11-A	8	8	8	115	8,0	VCMT VCGT 1103..		SS1751	BT08		0,060	● 79,-
SVJCR/L 1010 X11-A	10	10	10	115	10,0						0,090	● 80,-
SVJCR/L 1212 X11-A	12	12	12	130	12,0						0,150	● 82,-
SVJCR/L 1616 X11-A	16	16	16	130	16,0						0,250	● 85,-
SVJCR/L 1212 X16-A	12	12	12	130	12,0	VCMT VCGT 1604..		VT40B	BT15		0,150	● 82,-
SVJCR/L 1616 X16-A	16	16	16	130	16,0						0,240	● 85,-















SVVCN

Stelo in acciaio | Stahlschaft | Steelshank

CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)										STOCK	PRICELIST €
	h ₁	h ₂	b	l ₁	f						kg	
SVVCN 1010 X11-A	10	10	10	115	5,0	VCMT VCGT 1103..		SS1751	BT08		0,100	● 80,-
SVVCN 1212 X11-A	12	12	12	130	6,0						0,150	● 82,-
SVVCN 1616 X11-A	16	16	16	130	8,0						0,250	● 85,-
SVVCN 1212 X16-A	12	12	12	130	6,0	VCMT VCGT 1604..		VT40B	BT15		0,150	● 82,-
SVVCN 1616 X16-A	16	16	16	130	8,0						0,240	● 85,-

● Disponibile - Lieferbar - On stock

○ A richiesta - Auf Anfrage - On request


CODICE ORDINE Bestell-Nr. Order No.	Figura Form Figure	Dimensioni Abmessungen Dimensions					Denominazione Bezeichnung Designation	Non Rivestiti Unbeschichte Uncoated			Rivestiti Beschichtet Coated						CERMET	
		l	d	s	d1	r		k15	P25	P40	P200	P300	K300	K400	TIN PVD	TIALN PVD	X99	X55
 CPMT		5,6	5,56	1,97	2,5	0,2	CPMT 05T102 EN-PM1							● 12,30				
						0,2	CPMT 05T102 EN-PS2				○ 12,30							
						0,4	CPMT 05T104 EN-PM1							● 12,30				
						0,4	CPMT 05T104 EN-PS2				○ 12,30							
 CPGT...ALU		5,6	5,56	1,97	2,5	0,2	CPGT 05T102 FN-ALU	● 18,40										
						0,4	CPGT 05T104 FN-ALU	● 18,40										
 CDGT		4,03	3,97	1	2,1	0,1	CDGT 040101 FN-ALU	● 17,-										
						0,2	CDGT 040102 FN-ALU	● 17,-										
						0,4	CDGT 040104 FN-ALU	● 17,-										
						0,2	CDGT 040102 FN							● 17,80				
						0,4	CDGT 040104 FN							● 17,80				
 DCGT...PM1		3,78	3,1	1,2	1,7	0,2	DCGT 04T002 EN-PM1							● 23,-				
						0,2	DCGT 04T002 FN-ALU	● 22,-										
 DCGT...ALU		3,78	3,1	1,2	1,7	0,2	DCGT 04T002 FN-ALU	● 22,-										
 SEEX		12,25	12,25	5,25	4,8	0,8	SEEX 12T408							● 24,50				
 TCMT		8,2	4,76	2,38	2,3	0,4	TCMT 080204							● 16,90				
 VCGT...PM1		5,4	3,1	1,59	1,7	0,2	VCGT 050102 EN-PM1							● 23,-				
 VCMT...PM1		6,92	3,97	2,38	2,2	0,2	VCMT 070202 EN-PM1							● 13,50				
		6,92	3,97	2,38	2,2	0,4	VCMT 070204 EN-PM1							● 13,50				
 VCGT...ALU		5,40	3,10	1,59	1,7	0,2	VCGT 050102 FN-ALU	● 22,-										
		6,92	3,97	2,38	2,2	0,1	VCGT 070201 FN-ALU	● 19,50										
		6,92	3,97	2,38	2,2	0,2	VCGT 070202 FN-ALU	● 18,50										
		6,92	3,97	2,38	2,2	0,4	VCGT 070204 FN-ALU	● 18,50										
 WCMT		2,7	3,97	1,59	2,2	0,2	WCMT 020102										● 18,40	
		2,7	3,97	1,59	2,2	0,4	WCMT 020104										● 18,40	
 WCGT...ALU		2,7	3,97	1,59	2,2	0,1	WCGT 020101 FN-ALU	● 19,40										
						0,2	WCGT 020102 FN-ALU	● 19,40										
						0,4	WCGT 020104 FN-ALU	● 19,40										

● Disponibile - Lieferbar - On stock

○ A richiesta - Auf Anfrage - On request




GROOVING



GETB


CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)			STOCK	PRICELIST €
	h	L	B		
GETB 1910	10	76	19	●	258,-
GETB 1912	12	76	19	●	258,-
GETB 1916	16	76	19	●	258,-
GETB 2620	20	87	26	●	266,-
GETB 2625	25	87	26	●	285,-
GETB 3220	20	100	32	●	270,-
GETB 3225	25	110	32	●	290,-
GETB 3232	32	120	32	●	295,-

Base VDI con lubrificazione | VDI Grundhalter mit IK | VDI Tool holder with IC




GEGB

CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)			STOCK	PRICELIST €
	ø d	L	H		
GEGB VDI30/26 COOL	30	70	26	●	996,-
GEGB VDI30/32 COOL	30	70	26	●	996,-
GEGB VDI40/32 COOL	40	85	32	●	996,-





GECB

CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)				STOCK	PRICELIST €
W	H	L				
GECB 1920 S	2,0	19	86	GELCG..192002...	●	119,-
GECB 2620 S	2,0	26	110		●	128,-
GECB 2630 S	3,0	26	110		●	128,-
GECB 3230 S	3,0	32	150	GELCG..193002...	●	144,-
GECB 2640 S	4,0	26	110		●	128,-
GECB 3240 S	4,0	32	150	GELCG..234002...	●	144,-



GECB COOL

CODICE ORDINE Bestell-Nr. Order No.	DIMENSIONI Abmessungen Dimensions (mm.)				STOCK	PRICELIST €
W	H	L				
GECB 2620 S COOL	2,0	26	110	GELCG..192002...	●	246,-
GECB 2630 S COOL	3,0	26	110		●	246,-
GECB 3230 S COOL	3,0	32	150	GELCG..193002...	●	268,-
GECB 2640 S COOL	4,0	26	110		●	246,-
GECB 3240 S COOL	4,0	32	150	GELCG..234002...	●	268,-




GEDM

CODICE ORDINE Bestell-Nr. Order No.	Ø D	L	W	p	Ø B	d	Z		STOCK	PRICELIST €
GEDM 08020 Z4 ST*	80	39,9	2,0	25	29	M16	4		●	1058,-
GEDM 10020 Z6 SA	100	51,9	2,0	28	40	22	6	GELCG..192002	●	1221,-
GEDM 12520 Z8 SA	125	51,9	2,0	36	48	27	8		●	1319,-
GEDM 16020 Z10 SA	160	64,9	2,0	39	80	40	10		●	1566,-
GEDM 08030 Z4 ST*	80	40,7	3,0	25	29	M16	4		●	1081,-
GEDM 10030 Z6 SA	100	52,7	3,0	28	40	22	6	GELCG..193002	●	1242,-
GEDM 12530 Z8 SA	125	52,7	3,0	36	48	27	8		●	1350,-
GEDM 16030 Z10 SA	160	65,7	3,0	39	80	40	10		●	1594,-
GEDM 12540 Z6 SA	125	53,5	4,0	37,5	48	27	6	GELCG..234002	●	1296,-
GEDM 16040 Z8 SA	160	66,5	4,0	39	80	40	8		●	1472,-

* Gambo filettato
Schaftausführung Gewinde
Threaded shank


Inserti | Wechselplatten | Inserts

Inserto unico per tutto il programma | Ein Wendepatte fuer gesamtes Programm | One insert for whole programme

CODICE ORDINE Bestell-Nr. Order No.	Figura Form Figure	Dimensioni Abmessungen Dimensions			Denominazione Bezeichnung Designation	Alu Beschichtet K15X	Rivestiti Beschichtet Coated						CERMET	
		W	r	Taglienti Schneide Cutting edge			P200	P300	K300	K400	TIN PVD	TIALN PVD	X99	X55
		2,0	0,2	1	GELCGS 192002	● 15,-		● 15,-	● 15,-					
		3,0	0,2	1	GELCGS 193002	● 16,-		● 16,-	● 16,-					
		4,0	0,2	1	GELCGS 234002	● 17,-		● 17,-	● 17,-					
		2,0	0,2	2	GELCGD 192002	● 18,-		● 18,-	● 18,-					
		3,0	0,2	2	GELCGD 193002	● 19,-		● 19,-	● 19,-					
		4,0	0,2	2	GELCGD 234002	● 20,-		● 20,-	● 20,-					

GELCG...

Chiave
Schlüssel
Spanner



CODICE ORDINE
Bestell-Nr.
Order No.

PRICELIST
€


GE KEY

3,-


* Chiave non inclusa. Da ordinare separatamente.
Schlüssel nicht eingeschlossen. Separat bestellen.
Key not included. To be ordered separately.

● Disponibile - Lieferbar - On stock


○ A richiesta - Auf Anfrage - On request



base holder assembly instruction



instruction for changing the inserts



assembly-key

24 HOURS DELIVERY ALL OVER EUROPE

GE TOOLING S.r.l.
Via Elsa Morante, 71 - 41123 Modena
Tel. +39 059 331543 - Fax. +39 059 822617
www.getooling.it - getools@getooling.it